PTO/SB/08A (07-06)

FEB 0 1 2008 8 Under the Paperwork Reducer Act of 1995. Approved for use through 09/30/2006, OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE are required to respond to a collection of information unless it contains a valid OMB control number.

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Substitute for form 1449A/PTO

Sheet 1

(Use as many sheets as necessary) of 1

Complete if Known			
Application Number	10/695,277		
Filing Date	10/28/2003		
First Named Inventor	Yong Ho Son		
Art Unit	2609		
Examiner Name	Saint Cyr, Jean D		
Attorney Docket Number	SEDN/152CON2		

U.S. PATENT DOCUMENTS						
Examiner Initials *	Cite No.1	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant	
-/J.S./	110,	Number - Kind Code <sup>2</sup> (if known)	MM-DD-1111		Figures Appear	
10.0./		US-5,801,781	09/1998	Hiroshima et al.		
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-			-	
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				
		US-				

	FOREIGN PATENT DOCUMENTS					
Examiner Cite	Cite	Foreign Patent Document	Publication	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	<b>⊤</b> <sup>6</sup>
Initials*	tableton built	Country Code <sup>3</sup> - Number <sup>4</sup> - Kind Code <sup>5</sup> (if known)	Date MM-DD-YYYY			
/J.S./		0 674 440 A2	09/27/1995	Nokia Technology GmbH		

Examiner Signature	/Jean Saint Cyr/	Date Considered	01/31/2011

"EXAMINE: Initial if reference considered, whether or not classion is in conformance with MPEP 669. Draw line through classion in no conformance and not considered include copy of this form with next communication to applicant." Applicant's nuise classion designation number (optional). "See Kinds Codes of USPTO Patient Documents at www.uspsic.ogy or MPEP 901.04." Eater Officior that issued the document, by the two-letter color (MPD Standard ST 33." For Japanese patient document, is indication of they are of the reign of the Emperor must proced the serial number of the patient document. "Ninc of document to the appropriate symbols as indicated on the document under WPD Standard ST. of 8 possible." Applicant is to place a check mark here it finish language. Translation is attached.

Intradiation is attached.

This detection of intradiation, it required by 20 CPR 197 and 1,58. The information is required to obtain or retain a benefit by the public which is to file (and by the relative colors) and intradiation is estimated to take 2 hours to complete, and the public obtaining the completed application from the ILSPTO Time 2 and 3 CPR 1,4 in This collection is estimated to take 2 hours to complete, including againstring, preparing, and submitting the completed application from to the ILSPTO Time 3.

The collection is estimated to take 2 hours to complete application from the ILSPTO Time 3.

The collection is estimated to take 2 hours to complete application from the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete application from the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete application from the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete a possible of the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete a possible of the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete a possible of the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete a possible of the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete a possible of the ILSPTO Time 5.

The collection is estimated to take 2 hours to complete a possible of the ILSPTO Time 5.

The collection is estimated to take 2 hours to take 2 hours to take 3 hours to tak